ODUMUM Renovators & Fence Company



Offered by: Optimum Renovators & Fence Company Tel: 551-999-4498 • www.optimumrenovators.com



Finding a Good Dealer and/or Installer

Both Country Estate Products and you must rely on a Country Estate Authorized Independent dealer/installer to guarantee his workmanship. Country Estate Products can be no better than the quality of the work that goes into the installation. In each area, Country Estate Products attempts to find the very best independent, professional dealer/installer to represent us.

A dealer/installer can be no better than your willingness to express your expectations. Put them in writing and make them a part of your contract. Choose a product and/or style that will meet your expectations.

Ideally, your Authorized Independent Country Estate dealer/installer is someone you know or who has installed successfully for someone you know. If this is not the case, we suggest the following:

1. Confirm the name of your Authorized Independent Country Estate dealer/installer by calling 610-458-3880. Home improvement impostors prey on those unwilling to do their homework.

2. The Country Estate warranty is not valid unless the entire installation consists of Country Estate Products. When registering your warranty, the installer must attest that he has not mixed products from other manufacturers.

3. Ask for references. Check with the Better Business Bureau.

4. Before purchasing, call 610-458-3880 for a free Country Estate Planning and Installation Guide. Or download one on our website www.countryestate.com. Study it. Specify that your Country Estate Products be installed as recommended. Remember, however, that the Installation Guide provides for regional differences.

5. Before purchasing, discuss building codes, building permits, location of underground utilities, property lines and the exact location of your new fence. Determine who is responsible for each item.

6. When the job is complete, register your warranty as provided by your official copy of the warranty.

7. Do not assume the lowest price or the warranty with the longest time period is the best value.

8. Anticipate the need for an earnest money down payment at the time you place your order. Depending on the size of the project, the dealer may require progress payments. Do not pay in full until the project is complete.

9. Work with a contract or purchase order.

These common sense procedures will help assure a trouble-free installation.

Offered By: Optimum Renovators & Fence Company





Country Estate[®] Products carry the industry's finest 50 Year Warranty or Limited Lifetime Warranty.

If you find a major manufacturer's published warranty on PVC fencing that you and/or your attorney feel will better protect your investment than Country Estate's published warranty, submit your request to us in writing along with a copy of the competitor's warranty and we will warrant our product using the competitor's warranty rather than ours.

Many styles can be made using solely Country Estate Products or G-Fence Products or in combination. All Country Estate and G-Fence Products, even if used in combination, carry the same manufacturer's warranty.



Safety, Security, and Peace of Mind for you and your family.

PRIVACY GREEN LINE





GL Lakeland Concave

- Std Heights: 4', 5', 6
 - ils: 2" x 7" Deco Bottom Rail⁺, 1" x 6" each side
- Capstock: 1" x 2
- Pickets: ⁷/₈" x 7"T&G w/ side U Channel
- Posts: 5" x 5
- Pool Code: 5', 6'

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
nlay	>	>	>	>	<	~
Rails	>	>	<	۲		



GL Lakeland Convex

- Std Heights: 4', 5', 6
 - s: 2" x 7" Deco Bottom Rail⁺, 1" x 6" each side
- Capstock: 1" x 2
 - ckets: ⁷⁄₈″ x 7″ T&G w/ side U Channel
- Posts: 5" x 5
- Pool Code: 5', 6

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	>	>	>	>	>	>
Rails	>	>	>	>		

PRIVACY GREEN LINE

Offered By: Optimum Renovators & Fence Company

GL Hollingsworth*

- Std Heights: 4', 5', 6
- Rails: 2" x 3-½" Top Rail, 2" x 7" Deco Middle & Bottom Rail
- Pickets: ⁷/₈" x 7" T&G w/ side U Channel
- 2 Dimensional Lattice
- Posts: 5" x 5"
- Pool Code: 6'

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	>	>	>	>	>	>
Lattice	>					
Rails	>	>	<	~		

GL Eagle Scallop*

- Std Heights: 4', 5', 6
- Rails: 2"x 3-½" Top Rail, 2"x 7" Deco Middle & Bottom Rail
- Pickets: 1-1/2" x 1-1/2" topper, %" x 7" T&G w/ side U Chann
- Posts:
- Pool Code: 5', 6'

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	>	>	>	>	>	>
Topper	>	>	<			
Rails	~	~	~	>		



GL Eagle Straight*

- Std Heights: 4', 5', 6'
- Rails: 2"x 3-½"Top Rail, 2"x 7"Deco Middle & Bottom Rail
- Pickets: 1-1/2" x 1-1/2" topper, 7/2" x 7" T&G w/ side U Channel
- Posts: 5":
- Pool Code: 4', 5', 6'

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	>	>	>	>	>	~
Topper	>	۲	۲			
Rails	~	>	~	~		

Shown with optional cap offering.



PRIVACY & SEMI-PRIVACY GREEN LINE





Shown with 2" x 6" middle rail

GL Nottingham

- Std Heights: 4′,
 - 2" x 3-½"Top Rail, 2" x 7" Deco Bottom Ra
 - ets:
- Picket Space:
- Posts:
- Pool Code: 4', 5',

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	~	>	>	>		
Rails	~	>	>	>		

GL Nottingham w/ Lattice

- Std Heights: 4', 5', 6
 - 2"x 3-½" Top & Middle Rail, 2"x 7" Deco Bottom Rail
 - Pickets: 1″ x 6
- Picket Space: 1"
 - Posts: 5″ x 5′
- Pool Code: 6

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	>	>	>	>		
Lattice	>					
Rails	>	>	>	>		

SEMI-PRIVACY & PICKET GREEN LINE

	. Not lable in Sca			າ Stra [ຸ]	ight		2.0	
• Std	Heights:	4', 5', 6						
• Rai			2″Top & N Deco Bott		// 1 Alumi	inum insert,		
• Picl	kets:		1-½″ top	per, 1″x 6″			TTT	
• Picl	ket Space:						1111	
• Pos	ts:	5″ x 5″					TT	
• Poc	ol Code:	4', 5', 6						
	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.		
Pickets	v	~	~	~			11	
Topper	~	~	~				a state	
Rails	~	~	~	~			eren	

GL Hannibal*

• Std Heights:	3′, 3-½″, 4′
• Rails:	2″ x 3-½″Top & Bottom Rail
• Pickets:	⅔" x 3" w/ Dog Ear Cap††
• Picket Space:	
• Posts:	4" x 4" or 5" x 5"
• Pool Code:	4', 5', 6'



Almond Gray Adobe Emboss Streak Str. & Emb. Pickets V • V ~ Rails ~ ~ V V

GL Springfield*

• Std Heights:	4', 5', 6'
• Rails:	1-½" x 5-½" Top and Bottom Rail
• Pickets:	‰" x 3" w∕ Dog Ear Cap††
• Picket Space:	
• Posts:	5″ x 5″
• Pool Code	5' 6'

		-		En l	
			P		1
1.1					
ıb.	(internet				
*	492 45				

Almond Gray Adobe Emboss Streak Str. & Eml **Pickets** ~ ~ ~ \checkmark Rails ~ ~ ~ ~

* Shown with optional cap offering.

[†]Aluminum insert available for additional cost.

⁺⁺ Optional Sharp Point cap available.





GL Brandywine*

- Std Heights: 4
- Rails:
- . . .
-
 - .
- 10505.
- Pool Code:
- 4', 5', 6' @ 1-³4" space & 5', 6' @ 3-¹4" space

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	>	>	>	>		
Rails	~	~	~	~		



GL Spartan Scallop*

- Std Heights:
 - 2" x 3-½"Top Rail, 2" x 7" Deco Bottom Rai
- Pickets:
 - 78 x 3 w/ Do

5″ x 5″

- Picket Space:
 - Posts:
- Pool Code:
- 5', 6' @ 1-¾" space & 6' @ 3-¼" space

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	>	>	>	>		
Rails	>	>	>	>		

* Shown with optional cap offering.

Offered By: Optimum Renovators & Fence Company

GL Spartan Straight*

• Posts:		F ″	5″ x 5″					
	Pool Code:							
• PO	ISLS.		хJ					
• PO	515.		хJ					
• PO	515.		XJ					
• Posts:			5 X 5					
• Posts		5 ″	5" x 5"					
. renet opacer								
 Picket Space: 			1-3/4" & 3-1/4"					
	• FICKELS.		78 X 5 W/ DOg Lar Cap.					
• Pickets:			‰″ x 3″ w/ Dog Ear Cap ^{††}					
• Rails:		2″	2" x 3-½"Top Rail, 2" x 7" Deco Bottom Rail†					
• Std Heights:			4', 5', 6'					



GL Viking Scallop*

Rails

• Std Heights:	4', 5', 6'
• Rails:	2" x 3-½" Top Rail, 2" x 7" Deco Bottom
• Pickets:	1-½" x 1-½" w/ Pyramid Cap
• Picket Space:	1-¾″ or 3″
• Posts:	5″ x 5″
• Pool Code:	5', 6'



AlmondGrayAdobeEmbossStreakStr. & Emb.Pickets••••••Rails••••••

GL Viking Straight*

• Std Heights:	4', 5', 6'
• Rails:	2″ x 3-½″Top Rail, 2″ x 7″ Deco Bottom Rail†
• Pickets:	1-½" x 1-½" w/ Pyramid Cap
• Picket Space:	1-¾" or 3″

- Posts: 5″ x
- Pool Code: 4', 5', 6' @ 1

′, 5′, 6′ @ 1-¾″ space & 5′, 6′ @ 3-¼″ space.

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	>	>	>			
Rails	>	>	>	>		



*Shown with optional cap offering.

[†]Aluminum insert available for additional cost.

^{††} Optional Sharp Point cap available.



GL Viking Step*

L 30		Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
T = T	Pickets	٢	>	>			
5	Rails	~	>	>	~		

GL Manchester

- Pool Code:

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	>	>	>			
Rails	>	•	۲	>		



GL Lagoon 12

- 1-3/4" & 3"
- 5″ x 5″
- Pool Code:

	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	>	>	>			
Rails	>	~	>	>		

*Shown with optional cap offering.

** 6' - with Middle Rail; 5' - Middle Rail optional.

Offered By: Optimum Renovators & Fence Company

GL Lagoon 15

Std Heights:		4′,	4′, 5′, 6′**				
• Rails:			2" x 3-½"Top & Bottom Rail w/ 1 Aluminum insert				
• Pic	:kets:						
• Picket Space:			1-¾″ & 3″				
• Posts:		5″	5″ x 5″				
• Pool Code:		4′,	5', 6'				
	Almond	Gray	Adobe	Emboss	Streak	Str. & Em	
Pickets	>	~	<				
Rails	~		~	~			



GL Lagoon 783*

Gray

~

~

• Std Heights:	4′, 5′, 6′**
• Rails:	2" x 3-½"Top & Bottom Rail w/ 1 Aluminum insert
• Pickets:	
• Picket Space:	3⁄4", 1-3⁄4" & 3"
• Posts:	5″ x 5″
• Pool Code:	4', 5', 6'

Adobe

~

~

Emboss

~

~

Streak



Colors (colors may vary slightly)				
	Almond	Gray	Adobe	

The manufacturer has determined which styles require an aluminum insert for structural integrity. When necessary, the aluminum insert is automatically added during production. From time to time, however, homeowners desire or specific circumstances suggest an aluminum insert be added for additional strength, which can easily be done for a nominal cost.

References to Pool Code compliance used throughout this brochure should only be used as a general guideline. Please consult your local inspector, code official or governing compliance officer to determine applicable Pool Code requirements.

This brochure contains styles and names indigenous to our service area. Generally, these styles can be modified to suit a specific request, requirement or preference. Other styles and products are available, too. For more Country Estate arbors, pergolas, fence, deck and handrail products we offer, as well as other pertinent information on Country Estate Products, please go to: www.countryestate.com

Almond

V

~

Pickets

Rails

CAP OPTIONS & OTHER OFFERINGS

Cap Options

- A Federation
- B New England
- C Gothic
- D Ball Cap
- E External Flat Cap (standard)



Mailboxes, Picnic Tables & Benches











ARBORS, GAZEBOS & PERGOLAS













EMBOSSING & STREAKING

Embossing - Wood Grain Texture



Streaking - Wood Grain Appearance



Embossing & Streaking





CEF RESIDENTIAL ALUMINUM

Offered By: Optimum Renovators & Fence Company

AS-1

• Height:	48″
• Color:	Black & Bronze
• Rail:	Beveled Edge, Decorative Lines and Recessed Screws
• Picket Space:	
• Pool Code:	Yes



AS-121

• Height:	54″
• Color:	Black, Bronze & White
• Rail:	Beveled Edge, Decorative Line and Recessed Screws
• Picket Space:	
• Pool Code:	Yes



AS-126

Height:	

- Beveled Edge, Decorative Lines and Recessed Screws • Picket Space: 3-13/16"
- Pool Code:



Offered By: Optimum Renovators & Fence Company

CEF RESIDENTIAL ALUMINUM



AS-110

eigł	- 4	
-1(0)	11.	
<u> </u>		

- : Blac
- Beveled Edge, Decorative Lines and Recessed Screws
- Picket Space: 3-13/1
- Pool Code:




AS-120

- Height: 48
 - Color: Blac
 - ail: Beveled Edge, Decorative Lines and Recessed Screws
- Picket Space: 3-13/16'
- Pool Code: N



AS-125

- Height: 4
 - lor: Bla
- il: Beveled Edge, Decorative Lines
- Picket Space: 3-13/16"
- Pool Code: N





Offered by:

Optimum Renovators & Fence Company Tel: 551-999-4498 • www.optimumrenovators.com